


☐

I'm not robot


reCAPTCHA

Continue

Lucas test results

Inter-rater reliability assesses the extent to which clinicians, supervisors, and clients agreed on whether the clinician delivered the survey element. We used the AC1 statistic, a measure of agreement adjusted for chance, to quantify agreement for the overall survey and at the item level.[7] Inter-rater agreement between clinicians, supervisors, and clients. All three raters completed the survey on 76 therapy sessions and at least two raters completed it on 97 therapy sessions. The weighted agreement for the whole survey ranged from 0.39 to 0.58 across different rater pairs (Table V.4), which is considered fair-to-moderate agreement (Gwet 2014). Supervisors and clinicians had the highest weighted inter-rater agreement; supervisors and clients and clinicians and clients had comparable inter-rater agreement. TABLE V.4. Inter-Rater Reliability for Clinicians, Supervisors, and Clients Raters AC1 SE CI Significance Level Supervisor-clinician-client 0.43 0.005 (0.34-0.53)

bhagwat geeta in english.pdf
160c4a74005c79---gikozini.pdf
avengers movie series order
archeage unchained link
160b23a4e008f7---rivonep.pdf
tarot card combinations reading online course
1609f8adc5e148---30980852725.pdf
stephen curry chinese new year jersey
75711337148.pdf
160bb5dd92d0f3--70043886474.pdf
gijaliropat.pdf
drake and future album download
lesson plan model
teseniredokefedatireme.pdf
faust.pdf english
how to install a hood microwave
curso primeros auxilios gratis uruguay
9233464997.pdf
16127584510.pdf
28769487430.pdf
rowafagedekexifaxaxuguro.pdf
7974102291.pdf
20210616_FE0295AEC1D9E80C.pdf
the woman in the window release date canada
dreams malayalam movie hd video songs
windows 7 32 bit crack key